



ASA Non-Approved Bat List with Certification Marks

1/15/2013



For a complete list of approved bats go to the certified equipment section of www.asasoftball.com

Last Updated: January 5, 2011



ASA Non-Approved Bat List with ASA Certification Mark

January 15, 2013

This list depicts the previously ASA certified bats that failed an ASA sponsored field audit and that also carry the 2000 or 2004 ASA Certification Mark. This list is intended for informational purposes only.

Manufacturer	Bat Name
---------------------	-----------------

Combat	VIRSP3 Lady Virus
--------	-------------------



Easton	SCX2 Synergy
--------	--------------



Easton	SCX22 Synergy 2
--------	-----------------



Louisville Slugger	FPC305 Catalyst (-8)
--------------------	----------------------



Louisville Slugger	SB304
--------------------	-------



Louisville Slugger	SB34 Genesis
--------------------	--------------



Louisville Slugger	SB404
--------------------	-------













ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Louisville Slugger	SB73V TPS Voltage
	
Miken	MSF Freak
	
Miken	Ultra
	
Miken	Ultra II
	
Miken	Ultra Maxload
	
Nokona	Tomahawk
	
Schutt	Red/Silver Schutt Bat
	
Worth	EST9
	



ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
Worth	QESTFP
	
Worth	SBWK(Wicked)
	
Worth	SBWKA
	
Worth	WWSC Wicked Comp. (SP Only)
	
Worth	WWSCA
	
Worth	XEST9X
	
Worth	XGold
	
Worth	XPST4
	



ASA Non-Approved Bat List with ASA Certification Mark

Manufacturer	Bat Name
--------------	----------

Worth

XRed



Worth

XWICKX Wicked (SP Only)



For a complete list of approved bats go to the certified equipment section of www.asasoftball.com

Last Updated: January 5, 2011



ASA Non-Approved Bat List w/2004 ASA Cert Mark

January 15, 2013

This list depicts the previously ASA certified bats that failed an ASA sponsored field audit and that also carry the most recent ASA Certification Mark (2004). This list is intended for informational purposes only.

Manufacturer	Bat Name
---------------------	-----------------

Combat	VIRSP3 Lady Virus
--------	-------------------



Louisville Slugger	FPC305 Catalyst (-8)
--------------------	----------------------



Louisville Slugger	SB73V TPS Voltage
--------------------	-------------------



Nokona	Tomahawk
--------	----------



Schutt	Red/Silver Schutt Bat
--------	-----------------------



For a complete list of approved bats go to the certified equipment section of www.asasoftball.com

Last Updated: January 5, 2011