



Frequently Asked Questions

## About Methicillin-Resistant *Staphylococcus aureus* (MRSA) among Athletes

Updated Nov. 2008

### *Questions addressed on this page*

- What is *Staphylococcus aureus* and MRSA?
- What types of infections does MRSA cause?
- How is MRSA spread?
- Which athletes are most at-risk for MRSA skin infections?

### *Advice for Athletes and Parents*

- How do I protect myself from getting MRSA and other skin infections?
- What should I do if I think I have an MRSA infection?
- I have an MRSA skin infection. How do I prevent spreading it to others?

### *Advice for schools, athletic directors, and coaches*

- How should athletic facilities be managed when an MRSA infection occurs?
- How should sports equipment be cleaned?
- Should athletes with MRSA skin infections be excluded from participation?
- What should I do if I notice an athlete with a possible infection?
- How can I improve hygiene among my athletes?
- Who should be contacted if an outbreak occurs?

### *Advice for team healthcare providers*

#### **What is *Staphylococcus aureus* and MRSA?**

*Staphylococcus aureus*, often called "staph" is a type of bacteria commonly found on the skin or in the nose of healthy people. Approximately 30% of people have staph in their noses and do not have any symptoms. MRSA which stands for Methicillin-Resistant *Staphylococcus aureus* is staph that is resistant to commonly used antibiotics such as penicillins and currently available cephalosporins. In the past, MRSA was found only in healthcare facilities and caused infection in people who were sick. More recently, MRSA has emerged in the community and can cause infections in otherwise healthy people.

#### **What types of infections does MRSA cause?**

In the community, most MRSA infections are minor skin infections that may appear as sores or boils that often are red, swollen, painful, or have pus or other drainage. These skin infections commonly occur either at sites of breaks in the skin such as cuts and abrasions, and areas of the body covered by hair (for example, the back of the neck, groin, buttock, armpit, or beard area of men).

Almost all MRSA skin infections can effectively be treated in the outpatient setting by drainage of the pus by a healthcare provider with or without antibiotics. More serious infections such as pneumonia, blood or bone infections are rare in healthy people who get MRSA skin infections.

#### Top

#### **How is MRSA spread?**

Like other causes of skin infections in athletes, MRSA is usually spread from person to person through direct skin contact or contact with shared items or surfaces (e.g., towels, used bandages, weight-training equipment surfaces) that have touched a person's infection.

MRSA might spread more easily among athletes because they:

- have repeated skin-to-skin contact
- get breaks in the skin such as cuts and abrasions that if left uncovered allow staph and MRSA to enter and cause infection
- share items and surfaces that come into direct skin contact
- have difficulty staying clean

[Top](#)

### **Which athletes are most at-risk for MRSA skin infections?**

Skin infections including MRSA have been reported mostly in high-physical-contact sports such as wrestling, football, and rugby. However, MRSA infections have been reported among athletes in other sports such as soccer, basketball, field hockey, volleyball, rowing, martial arts, fencing, and baseball.

Even though little physical contact occurs in some sports during participation, skin contact or activities that may lead to spread of MRSA skin infections may take place before or after participation such as in the locker room. Therefore, anyone participating in organized or recreational sports should be aware of the signs of possible skin infections and follow prevention measures.

[Top](#)

### ***Advice for Athletes and Parents***

#### **How do I protect myself from getting MRSA and other skin infections?**

##### **Practice good personal hygiene**

- Keep your hands clean by washing frequently with soap and water or using an alcohol-based hand rub.
  - At a minimum, hands should be cleaned before and after playing sports and activities such as using shared weight-training equipment, when caring for wounds including changing bandages, and after using the toilet.
  - Both plain and antimicrobial soap are effective for hand washing, but liquid soap is preferred over bar soap in these settings to limit sharing.
  - If hands are not visibly dirty and sinks are not available for hand washing, for example, while on the field of play or in the weight-room, alcohol-based hand rubs and sanitizers can be used. Alcohol-based hand rubs with at least 60% alcohol content are preferred.
- Shower immediately after exercise. Do not share bar soap and towels.
- Wash your uniform and clothing after each use. Follow the clothing label's instructions for washing and drying. Drying clothes completely in a dryer is preferred.

##### **Take care of your skin**

- Wear protective clothing or gear designed to prevent skin abrasions or cuts.
- Cover skin abrasions and cuts with clean dry bandages or other dressings recommended by your team's healthcare provider (e.g., athletic trainer, team doctor) until healed.
  - Follow your healthcare provider's instructions for when and how often to change your bandages and dressings.

##### **Do not share items that come into contact with your skin**

- Avoid sharing personal items such as towels and razors that contact your bare skin.
- Do not share ointments that are applied by placing your hands into an open-container.
- Use a barrier (such as clothing or a towel) between your skin and shared equipment like weight-training, sauna and steam-room benches.

[Top](#)

### **What should I do if I think I have an MRSA infection?**

- Tell your parent, coach, athletic trainer, school nurse, team doctor or other healthcare provider if you think you have an infection so it can be treated quickly. Finding infections early and getting care will reduce the amount of playing time lost and decrease the chance that the infection will become severe.
  - Pay attention for signs of infections such as redness, warmth, swelling, pus, and pain at sites where your skin has sores, abrasions, or cuts. Sometimes these infections can be confused with spider bites.
  - Infections can also occur at sites covered by body hair or where uniforms or equipment cause skin irritation or increased rubbing.
- Do not try to treat the infection yourself by picking or popping the sore.
- Cover possible infections with clean dry bandages until you can be seen by a healthcare provider (e.g., doctor, nurse, athletic trainer).

#### **Top**

### **I have an MRSA skin infection. How do I prevent spreading it to others?**

- Get medical care for your infection. Do not try to treat it yourself.
- Cover your wounds. Keep wounds covered with clean, dry bandages until healed. Follow your healthcare provider's instructions on proper care of the wound. Pus from infected wounds can contain staph and MRSA, so keeping the infection covered will help prevent the spread to others. Bandages and tape can be thrown away with the regular trash.
- Clean your hands often. You, your family, and others in close contact should wash their hands often with soap and water or use an alcohol-based hand rub, especially after changing the bandage or touching the infected wound.
- Do not share personal items. Personal items include towels, washcloths, razors, clothing, and uniforms. Wash used sheets, towels, and clothes with water and laundry detergent. Use a dryer to dry clothes completely.

#### **Top**

### ***Advice for schools, athletic directors, and coaches***

#### **How should athletic facilities be managed when an MRSA infection occurs?**

- Athletic facilities such as locker rooms should always be kept clean whether or not MRSA infections have occurred among the athletes.
- Review cleaning procedures and schedules with the janitorial/environmental service staff.
  - Cleaning procedures should focus on commonly touched surfaces and surfaces that come into direct contact with people's bare skin each day.
  - Cleaning with detergent-based cleaners or Environmental Protection Agency (EPA) - registered detergents/disinfectants will remove MRSA from surfaces.
  - Cleaners and disinfectants, including household chlorine bleach, can be irritating and exposure to these chemicals has been associated with health problems such as asthma and skin and eye irritation.
    - Take appropriate precautions described on the product's label instructions to reduce exposure. Wearing personal protective equipment such as gloves and eye protection may be indicated. .
  - Follow the instruction labels on all cleaners and disinfectants, including household chlorine bleach, to make sure they are used safely and correctly.
    - Some key questions that should be answered by reading the label include:
      - How should the cleaner or disinfectant be applied?
      - Do you need to clean surface first before using the disinfectant (e.g., precleaned surfaces)?
      - Is it safe for the surface? Some cleaners and disinfectants, including household chlorine bleach, might damage some surfaces (e.g., metals, some plastics).
      - How long do you need to leave it on the surface to be effective (i.e., contact time)?
      - Do you need to rinse the surface with water after using the cleaner or disinfectant?
  - If you are using household chlorine bleach, check the label to see if the product has specific instructions for disinfection. If no disinfection instructions exist, then use 1/4 cup of regular household bleach in 1 gallon of water (a 1:100 dilution equivalent to 500-615 parts per million

- [ppm] of available chlorine) for disinfection of pre-cleaned surfaces.
- o Environmental cleaners and disinfectants should not be put onto to skin or wounds and should never be used to treat infections.
- o The EPA provides a list of registered products that work against MRSA (List H):  
<http://epa.gov/oppad001/chemregindex.htm>
- There is a lack of evidence that large-scale use (e.g., spraying or fogging rooms or surfaces) of disinfectants will prevent MRSA infections more effectively than a more targeted approach of cleaning frequently-touched surfaces.
- Repair or dispose of equipment and furniture with damaged surfaces that do not allow surfaces to be adequately cleaned.
- Covering infections will greatly reduce the risks of surfaces becoming contaminated with MRSA.

**Top**

**How should sports equipment be cleaned?**

- Equipment, such as helmets and protective gear, should be cleaned according to the equipment manufacturers' instructions to make sure the cleaner will not harm the item.
- Shared equipment should be cleaned after each use and allowed to dry.

**Top**

**Should athletes with MRSA skin infections be excluded from participation?**

- If sport-specific rules do not exist, in general, athletes should be excluded if wounds cannot be properly covered during participation.
  - o The term "properly covered" means that the skin infection is covered by a securely attached bandage or dressing that will contain all drainage and will remain intact throughout the activity. If wounds can be properly covered, good hygiene measures should be stressed to the athlete such as performing hand hygiene before and after changing bandages and throwing used bandages in the trash.
- A healthcare provider might exclude an athlete if the activity poses a risk to the health of the infected athlete (such as injury to the infected area), even though the infection can be properly covered.
- Athletes with active infections or open wounds should not use whirlpools or therapy pools not cleaned between athletes and other common-use water facilities like swimming pools until infections and wounds are healed.

**Top**

**What should I do if I notice an athlete with a possible infection?**

- Refer athletes with possible infections to a healthcare provider such as team physician, athletic trainer, school nurse, or primary care doctor.
  - o If the athlete is less than 18 years old, notify parents/guardians of the athlete with the possible infection.
- Educate athletes on ways to prevent spreading the infection.
- Using the criteria above, consider excluding the athlete from participation until evaluated by a healthcare provider.

**Top**

**How can I improve hygiene among my athletes?**

- Make sure supplies are available to comply with prevention measures (e.g., soap in shower and at sinks, bandages for covering wounds, hand hygiene such as alcohol-based hand rubs).
- Enforce policies and encourage practices designed to prevent disease spread. Make sure athletes:
  - o keep wounds covered and contained
  - o shower immediately after participation
  - o shower before using whirlpools
  - o wash and dry uniforms after each use
  - o report possible infections to coach, athletic trainer, school nurse, other healthcare providers, or parents.

[Top](#)

**Who should be contacted if an outbreak occurs?**

- Contact local public health authorities.

[Top](#)

***Advice for team healthcare providers***

- Use Standard Precautions, including hand hygiene before and after contact and after removing gloves when caring for nonintact skin or possible infections.
- If hands are not visibly dirty and no sinks are available for hand washing, for example, while on the field of play, alcohol-based hand rubs and sanitizers can be used to improve hand hygiene
- Ensure infected wounds on athletes are properly covered.
- Encourage athletes to cover acute, non-infected wounds (e.g., abrasions, blisters, lacerations) until healed to prevent infection.

[Top](#)

**Learning More**

**MRSA in the Community**

- **Podcast: Key fact about MRSA**  
Date Released: 10/23/2007, Running time 4:57
- **[Overview of MRSA in the Community](#)**
- **[Information for the Public](#)**
- **[Information for Healthcare Providers](#)**
- **[Clinical Management Strategies](#)**  
PDF (280KB/24 pages)
- **[Educational Materials](#)** (Posters and Information Sheet)

[Top](#)


**Other Resources**

- **[Preventing Skin Infection: A Guide for Athletes, Coaches, and Parents\\*](#)** (Please note: this link will open in a new browser window.)  
Fresh Health Innovations, National Wrestling Coaches Association, National Athlete Trainers' Association
- **[MRSA Toolkit for Athletic Departments\\*](#)** (Please note: this link will open in a new browser window.),  
Tacoma-Pierce County Health Department
- **[MRSA:What Athletes Need to Know\\*](#)** (Please note: this link will open in a new browser window.)  
PDF (2.77MB/7 page booklet): California Department of Health Services
- **[Community-associated \(CAMRSA\)/Staph Infections: A Guideline for Athletic Departments\\*](#)**  
(Please note: this link will open in a new browser window.):  
PDF (52KB/7 pages)California Department of Health Services
- **[MRSA and skin infection information for athletes\\*](#)** (Please note: this link will open in a new browser window.):  
Minnesota Department of Health
- **[MRSA for Athletic Departments\\*](#)** (Please note: this link will open in a new browser window.):  
Texas Department of State Health Services
- **[Guidelines for Reducing the Spread of Staph/CAMRSA in Non-Healthcare Settings, v 2\\*](#)**  
(Please note: this link will open in a new browser window.)  
PDF ( 3 pages, 735KB) Los Angeles County Department of Public Health
- **[Wrestling Rules and Interpretations\\*](#)** (Please note: this link will open in a new browser window.)  
(see Appendix D for skin infection recommendations)\*: National Collegiate Athletic Association

(NCAA)

- [Questions and Answers about MRSA for School Health Professionals\\*](#) (Please note: this link will open in a new browser window.),  
Commonwealth of Massachusetts Department of Public Health
- [MRSA Facts for Schools\\*](#) (Please note: this link will open in a new browser window.)  
PDF (2 pages, 80KB) Connecticut Department of Public Health

### **Top**

 Please note: Some of these publications are available for download only as \*.pdf files. These files require Adobe Acrobat Reader in order to be viewed. Please review the [information on downloading and using Acrobat Reader software](#).

\* Links to non-Federal organizations found at this site are provided solely as a service to our users. These links do not constitute an endorsement of these organizations or their programs by CDC or the Federal Government, and none should be inferred. CDC is not responsible for the content of the individual organization Web pages found at these links.

**Date last modified:** Oct 3, 2008

**Content source:**

**Division of Healthcare Quality Promotion (DHQP)**

National Center for Preparedness, Detection, and Control of Infectious Diseases

---

[Home](#)   [Policies and Regulations](#)   [Disclaimer](#)   [e-Government](#)   [FOIA](#)   [Contact Us](#)

Centers for Disease Control and Prevention, 1600 Clifton Rd,  
Atlanta, GA 30333, USA  
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348, 24  
Hours/Every Day - [cdcinfo@cdc.gov](mailto:cdcinfo@cdc.gov) (TTY)

**Department of  
Health and  
Human  
Services**